



CHEYTAC USA

MILITARY & LEO CATALOG 2026

CHEYTAC USA

24070 US-70

Huntingdon TN, 38344

731-535-6029

sales@cheytac.com

M200 INTERVENTION®

The legendary M200 Intervention® is the world's finest, most capable precision weapon system. Built specifically for military applications, the quick-change barrel and caliber system makes the M200 Intervention® a true tactical asset. Chambered in .408 CheyTac®, .375 CheyTac®, (.338 Lapua Magnum and .50 BMG coming soon), the CheyTac® M200 Intervention® is the only choice for extreme long range military missions.



Caliber	Barrel Length	Twist	Rifling	Average Muzzle Velocity (FPS)	Magazine Capacity
.408 CheyTac	29.5	1:10	5R	2750	7
.375 CheyTac	29.5	1:9.5	5R	2950	7
.338 Lapua	29.5	1:9.3	5R	TBD	TBD
.50 BMG	29.5	1:15	5R	TBD	Single Feed Only

SPECIFICATIONS

- Overall Length: 56 inches (142.2 cm)
- Weight: 31 lbs. without optic (14 kg)
- 40 MOA standard optic base; 50 & 60 MOA options available
- Adjustable Timney trigger – single stage or 2 stage
- NSN: 1-005-01-515-5774

New 2025 Bipod System


- Toolless cant adjustment
- Lightened bracket design
- Interchangeable feet: rubber, spike, ski
- Leg positions every 45 degrees
- Widened stance for increased stability



RIFLE FEATURES

- 2500+ yard effective range
- Take down barrel system
- Integrated bipod
- Night vision rail system options available in 40, 50, & 60 MOA
- 5 position adjustable buttstock with integrated monopod
- Pelican Air 58-inch hard case with custom foam


AVAILABLE COLORS



H-146
Graphite Black



H-265
Flat Dark Earth



H-236/C-241
O.D. Green



Custom cerakote colors, barrel options, etc., may be available on request

M300 BOLT ACTION SERIES

REMINGTON 700 PATTERN

The CheyTac® M300 Series utilizes the Remington 700 footprint and is available in short, long, XL, and .408/.375 “Intervention length” actions. Numerous options for barrels, chamberings, stocks, chassis, etc. are available. The M300 Series is custom built and catered to the shooter’s needs and preferences whether it be for military, law enforcement, hunting, or competition applications.

Model	Caliber	Barrel Length (in.)	Twist	Rifling	Available Stocks/Chassis
M300 Short Action	.308 Win. 6.5 Creedmoor	20, 24, 26 20, 24, 26	1:10 1:8	5R 5R	MDT, CheyTac® Chassis
M300 Long Action	.300 Win. Mag. 7mm Mag.	24, 26 24, 26	1:10 1:8.7	5R 5R	MDT, CheyTac® Chassis
M300 XL Action	.338 Lapua .338 Norma .300 Norma	24, 26 24, 26 24, 26	1:9.3 1:9.3 1:9.3	5R 5R 5R	CheyTac® Chassis
M300 Intervention	.408 CheyTac® .375 CheyTac®	29.5 29.5	1:10 1:9.5	5R 5R	McMillan A5, CheyTac® Chassis


Features

- Remington 700 footprint
- Sub MOA Accuracy
- Adjustable Timney Trigger; single stage or 2 stage
- 20 MOA or 40 MOA scope base
- Muzzle thread protector included for short, long, & XL lengths; M200 McArther muzzle brake included with M300 Intervention length
- Various Stock & Chassis options including MDT ACC Elite, MDT XRS, McMillan A5 & the CheyTac® M300 Chassis

NEW CheyTac® M300 Chassis System

- **Fully Adjustable Buttstock**
 - Right Side Folding
 - Integrated Monopod & Bag Rider
 - QD Sling Points
- **MLOK & ARCA SWISS Handguard**
 - MLOK at 3, 6, & 9 o'clock
 - Integrated ARCA SWISS Dovetail Rail
 - Full Length Mirage Shield
 - Continuous 1913 Picatinny Rail
- **Chassis Receiver**
 - Secondary ARCA SWISS For Tripod Shooting Positions
 - Undercut Trigger Guard
 - QD Sling Point For Folded Carry
 - Ambi Thumb Shelves


AVAILABLE COLORS



H-146
Graphite Black



H-265
Flat Dark Earth



H-236/C-241
O.D. Green



CHEYTAC USA



M300 SHORT ACTION
MDT XRS



M300 XL ACTION
CheyTac® Chassis



M300 INTERVENTION
CheyTac® Chassis



M300 INTERVENTION
McMillan A5

Custom cerakote colors, barrel options,
etc., may be available on request

SUPPRESSORS | .408 & .375 CheyTac®

The CheyTac® USA M2 & M3 suppressors are designed for .375 and .408 calibers. Featuring a 3D-printed super alloy construction, optimized gas flow, and less felt recoil, the M2 and M3 suppressors offer impressive decibel reduction.

M2 Suppressor



Features

- Designed for .375 and .408 calibers
- 3D-printed from Haynes 282 nickel-based super alloy
- Vented K baffle system and six coaxial chambers for optimized gas flow and back pressure reduction
- Reduces flash signature for enhanced performance
- Minimal point of impact shift and no/low mirage effect

Specifications

- Length: 8 in. (20.3 cm)
- Diameter: 2 in. (5 cm)
- Weight: 24.6 oz (0.7 kg)
- 7/8-24 TPI Direct thread with HUB (Hybrid Universal Base) compatibility
- 130 dB at shooter's ear with .408 CheyTac®

M3 Suppressor




Features

- Designed for .375 and .408 calibers
- 3D-printed from Haynes 282 nickel-based super alloy
- Integrated brake for superior recoil reduction
- Minimal point of impact shift and no/low mirage effect

Specifications

- Length: 8.1 in (20.5 cm)
- Diameter: 1.75 (4.4 cm)
- Weight: 19.8 oz (0.56 kg)
- 7/8-24 TPI Direct thread with HUB (Hybrid Universal Base) compatibility
- 133 dB at shooter's ear with .408 CheyTac®


AVAILABLE COLORS Custom cerakote colors may be available on request



H-146
Graphite Black



H-265
Flat Dark Earth



H-236/C-241
O.D. Green



Suppressors are a defense article as defined in ITAR and are subject to export control. Unauthorized transfer, re-export, or retransfer to a foreign person, including a foreign national, outside of the United States, requires prior written authorization from the U.S. Department of State.

AMMUNITION | .408 & .375 CheyTac®



.408 CheyTac® 419 gr. Balanced Flight®

- Patented Balanced Flight Projectile®
- Monolithic Copper Nickel Alloy
- Retains more kinetic energy passed 800 yards than .50 BMG
- .949 Average BC (G1) over 3,500 yards
- Weight: 419 Grain
- Velocity: 2750 fps

*Average values using standard 29.5" barrel with 1:10 twist

NSN: 1305015852330



.375 CheyTac® 350 gr. Balanced Flight®

- Patented Balanced Flight Projectile®
- Monolithic Copper Nickel Alloy
- 30 – 50% flatter trajectory than .338 Lapua, .50 BMG, & .408 CheyTac
- .988 BC (G1)
- Weight: 350 Grain
- Velocity: 2950 fps

*Average values using standard 29.5" barrel with 1:9.5 twist

NSN: 1305016722532

CHEYTAC USA

24070 US-70

Huntingdon TN, 38344



731-535-6029

sales@cheytac.com

AMMUNITION | .408 & .375 CheyTac®

.408 CheyTac® Long Range Hollowpoint

- Weight: 390 gr.
- Ballistic Coefficient: .88 (G1); TBD (G7)
- Velocity: 3020 fps
- Will expand at 1400 fps – 1000 yards



.408 CheyTac® Long Range Tipped Hollowpoint

- Weight: 390 gr.
- Ballistic Coefficient: .88 (G1); TBD (G7)
- Velocity: 3020 fps
- Will expand at 1400 fps – 1000 yards



.408 CheyTac® Tungsten Core Armor Piercing

- Weight: 400 gr.
- Ballistic Coefficient: .97 (G1); .425 (G7)
- Velocity: 2920 fps
- Also available in Armor Piercing Incendiary



.375 CheyTac® Long Range Hollowpoint

- Weight: 350 gr.
- Ballistic Coefficient: .85 (G1); TBD (G7)
- Velocity: 3040 fps
- Will expand at 1400 fps – 1000 yards



.375 CheyTac® Long Range Tipped Hollowpoint

- Weight: 350 gr.
- Ballistic Coefficient: .89 (G1); TBD (G7)
- Velocity: 3040 fps
- Will expand at 1400 fps – 1000 yards



.375 CheyTac® Tungsten Core Armor Piercing

- Weight: 375 gr.
- Ballistic Coefficient: .95 (G1); .485 (G7)
- Velocity: 2995 fps
- Also available in Armor Piercing Incendiary



CHEYTAC USA

24070 US-70

Huntingdon TN, 38344



731-535-6029

sales@cheytac.com

CT-15 | SMALL FRAME AR PLATFORM

The CheyTac® USA CT-15 is built for duty grade reliability and enhanced precision. Boasting a sub-MOA accuracy guarantee and featuring a meticulously tuned direct impingement gas system, the CT-15 can be configured to the shooter's needs through a variety of barrel and trigger options.

Caliber	Barrel Length (in.)	Barrel Profile	Twist	Rifling	Muzzle Thread
.223/ 5.56mm NATO	20	Gov, HBAR	1:8, 1:7	5R	½-28
	18	Gov, HBAR	1:8, 1:7	5R	½-28
	16	Gov, HBAR	1:7	5R	½-28
	14.5	Gov, HBAR	1:7	5R	½-28
	13.9	Gov, HBAR	1:7	5R	½-28
	11.5	Gov, HBAR	1:7	5R	½-28
	10.5	Gov, HBAR	1:7	5R	½-28
.300 AAC BLK	16	Gov, HBAR	1:7	5R	5/8-24
	10.5	Gov, HBAR	1:7	5R	5/8-24
	8.5	Gov, HBAR	1:7	5R	5/8-24
6mm ARC	18	Gov, HBAR	1:7.5	5R	5/8-24
	16	Gov, HBAR	1:7.5	5R	5/8-24



Forged Receiver
Black



Billet Receiver
FDE



Billet Receiver
OD Green

*Additional barrel options may be available on request


Features

- Billet or Forged Receivers
- Trigger: Mil Spec or Geissele (single or 2-stage options)
- BCG: full auto cut & rated, properly staked, black nitride
- Handguard: 6061 T6 Aluminum, MLOK, Integrated QD sling points
- Stock: B5 Systems Enhanced SOPMOD
- Pistol Grip: B5 Systems P-Grip 23
- Weight: 8 lbs. (3.6 kg)

Options

- Radian Raptor ambidextrous charging handle
- Timney 49er ambidextrous safety selector
- Magpul flip-up iron sights
- Picatinny MLOK rail sections
- Full auto
- Other options may be available on request


AVAILABLE COLORS



H-146
Graphite Black



H-265
Flat Dark Earth



H-236/C-241
O.D. Green



Custom cerakote colors, barrel options,
etc., may be available on request

CT-10 | LARGE FRAME AR PLATFORM

Boasting a sub-MOA accuracy guarantee and available in .308 Winchester/7.62x51 NATO or 6.5 Creedmoor, the CheyTac® USA CT-10 is a top choice for a large frame precision gas gun.

Caliber	Barrel Length (in.)	Barrel Profile	Twist	Rifling	Muzzle Thread
.308 Win./ 7.62X51 NATO	20	HBAR	1:10	5R	5/8-24
	18	HBAR	1:10	5R	5/8-24
	16	HBAR	1:10	5R	5/8-24
6.5 Creedmoor	20	HBAR	1:8	5R	5/8-24
	18	HBAR	1:8	5R	5/8-24
	16	HBAR	1:8	5R	5/8-24

*Additional barrel options may be available on request

Features


- Precision Machined Billet Aluminum Receivers
- Trigger: Geissele single or 2-stage options
- BCG: 7.62X51 NATO BCG, properly staked, black nitride
- Handguard: 6061 T6 Aluminum, MLOK
- Stock: B5 Systems Enhanced SOPMOD
- Pistol Grip: B5 Systems P-Grip 23

Options


- Radian Raptor ambidextrous charging handle
- Timney 49er ambidextrous safety selector
- Magpul flip-up iron sights
- Picatinny MLOK rail sections
- Other options may be available on request




AVAILABLE COLORS



H-146
Graphite Black



H-265
Flat Dark Earth



H-236/C-241
O.D. Green



Custom cerakote colors, barrel options, etc., may be available on request

ACCESSORIES

Any accessories not pictured may be available upon request

OPTICS



[Nightforce ATACR - 7-35X56MM F1](#)
[Nightforce ATACR - 7-35X56MM F2](#)



[Nightforce ATACR - 5-25X56MM F1](#)
[Nightforce ATACR - 5-25X56MM F2](#)



[Nightforce ATACR - 4-16X42MM F1](#)
[Nightforce ATACR - 4-16X42MM F2](#)



[Vortex RAZOR HD GEN III - 6-36X56MM FFP MOA](#)
[Vortex RAZOR HD GEN III - 6-36X56MM FFP MRAD](#)



[Vortex RAZOR HD GEN III - 1-10X24MM FFP MOA](#)
[Vortex RAZOR HD GEN III - 1-10X24MM FFP MRAD](#)



[Vortex RAZOR HD GEN II-E - 1-6X24MM SFP MOA](#)
[Vortex RAZOR HD GEN II-E - 1-6X24MM SFP MRAD](#)
[Vortex RAZOR HD GEN II-E - 1-6X24MM SFP BDC](#)

CHEYTAC USA
24070 US-70
Huntingdon TN, 38344



731-535-6029
sales@cheytac.com

ACCESSORIES

Any accessories not pictured may be available upon request

RED DOTS, HOLOGRAPHIC, & FIBER OPTIC SIGHTS



Aimpoint® Micro® T-2™ Red Dot Reflex Sight



Eotech HWS EXPS3™ Holographic Sight



Trijicon ACOG® 4x32 BAC Riflescope - .223 / 5.56 BDC

OPTIC MOUNTS



Nightforce X-Treme Duty™
Ultralite™ Rings (Titanium/Alloy)



Nightforce X-Treme Duty™ - Ultralite™
One-Piece Magmount™ (Titanium/Alloy)



Nightforce X-Treme Duty™ - Ultralite™
Unimount™ (Titanium/Alloy)

CHEYTAC USA
24070 US-70
Huntingdon TN, 38344



731-535-6029
sales@cheytac.com

ACCESSORIES

Any accessories not pictured may be available upon request

OPTIC MOUNTS CONTINUED



[SPUHR SP-4002C 034 H38mm 0MIL PIC Gen3](#)



[SPUHR SR-4006 034 H34mm PIC](#)



[Griffin Armament 34mm GPM™ Standard Mounts](#)



[Griffin Armament 34MM GPM™ Scope Rings](#)



[Unity FAST™ LPVO](#)



[Unity FAST™ Micro](#)

CHEYTAC USA
24070 US-70
Huntingdon TN, 38344



731-535-6029
sales@cheytac.com

ACCESSORIES

Any accessories not pictured may be available upon request

OPTIC MOUNTS CONTINUED



[Unity FAST™ COG Series](#)



[Unity FAST™ Absolute Riser](#)



[Unity FAST™ Optic Riser](#)

OPTIC ACCESSORIES



[Nightforce X-Treme Duty™ – Top Half Level](#)



[Griffin Armament GPM™ Ceramic Ball Level](#)



[Badger Ordnance Angle Co-Sine indicator
Gen 2 Kit](#)

CHEYTAC USA

24070 US-70

Huntingdon TN, 38344



731-535-6029

sales@cheytac.com

ACCESSORIES

Any accessories not pictured may be available upon request

OPTIC ACCESSORIES CONTINUED



Flatline Ops Tango RM 2.0 Accu/Level
Articulating, Fine-Adjustable



Flatline Ops ACCU/LEVEL Articulating Scope Level



Griffin Armament AIS™ Flat Mount Plate –
Wilcox Raptor Mount



Nightforce Rail Accessory Platform –
Improved (RAP-i)



Nightforce Wedge Prism

- 50 MOA
- 100 MOA



Tenabraex Anti-Reflection Devices (ARD)

CHEYTAC USA

24070 US-70

Huntingdon TN, 38344



731-535-6029

sales@cheytac.com

ACCESSORIES

Any accessories not pictured may be available upon request

LIGHTS & LASERS

Laser aiming devices are a defense article as defined in ITAR and are subject to export control. Unauthorized transfer, re-export, or retransfer to a foreign person, including a foreign national, outside of the United States, requires prior written authorization from the U.S. Department of State.



SureFire Weapon Mounted Lights



Steiner DBAL-A3



Steiner DBAL-D2

BIPODS



Atlas PSR BT46-LW17



Atlas CAL BT65-LW17 Gen. 2



Atlas Super CAL BT72-LW17



Atlas 5-H BT35-LW17

CHEYTAC USA

24070 US-70

Huntingdon TN, 38344



731-535-6029

sales@cheytac.com

ACCESSORIES

Any accessories not pictured may be available upon request

BIPODS CONTINUED



Harris S-BRM-PQD



Accu-Tac FD-4



Accu-Tac PC-4



Accu-Tac WB-4

SUPPRESSORS 5.56 – 30 cal.

Suppressors are a defense article as defined in ITAR and are subject to export control. Unauthorized transfer, re-export, or retransfer to a foreign person, including a foreign national, outside of the United States, requires prior written authorization from the U.S. Department of State.



RD USA LS3 - 30 CAL



RD USA LS5 - 5.56 CAL



RD USA CS3 - Compact 30 CAL

CHEYTAC USA

24070 US-70

Huntingdon TN, 38344



731-535-6029

sales@cheytac.com

ACCESSORIES

Any accessories not pictured may be available upon request

SUPPRESSORS 5.56 – 30 cal. CONTINUED

Suppressors are a defense article as defined in ITAR and are subject to export control. Unauthorized transfer, re-export, or retransfer to a foreign person, including a foreign national, outside of the United States, requires prior written authorization from the U.S. Department of State.



[RD USA CS5 - Compact 5.56 CAL](#)



[RD USA SASS - 30 CAL](#)
Developed for M110/SR25



[RD USA KFM Taper Mount Flash Hider](#)

BAGS & CASES

*Fits M200 Intervention®



[Eberlestock Sniper Sled Drag Bag 57"](#)



[Eberlestock Sniper Sled Drag Bag 52"](#)



CHEYTAC USA

24070 US-70

Huntingdon TN, 38344



731-535-6029

sales@cheytac.com

ACCESSORIES

Any accessories not pictured may be available upon request

BAGS & CASES CONTINUED



Savior Equipment Urban Warfare Soft Rifle Case

36" | 42" | 46" | 51" | 55"



Pelican Air Series Cases

32" | 47" | 58"

Pelican Storm Series Cases

40" | 47" | 54" | 58"

Pelican Protector Series Cases


38" | 44" | 54"

TOOLS & CLEANING KITS



CheyTac® Cleaning Kit

- .408
- .375



Otis Technology Field Kit

- .408
- .375

CHEYTAC USA

24070 US-70

Huntingdon TN, 38344



731-535-6029

sales@cheytac.com